



Inservices On Demand MAKING ROUTINE PRACTICE ROUTINE

NAME: _____ FACILITY: _____ DATE: _____

1. Routine practices in health care are to be used with all clients/patients/residents during all care activities all the time.
 - True
 - False

2. Which element of routine practices includes evaluating appropriate placement and bed spacing of clients/patients/residents?
 - administrative control
 - risk assessment
 - hand hygiene
 - environmental controls

3. You need to consider which of the following as part of your risk assessment of a client/patient/resident (*check all that apply*)?
 - the type of interaction you will have with the client/patient/resident
 - the amount of contamination in the client/patient/resident's environment
 - the client/patient/resident has allergies
 - the client/patient/resident's infection status

4. Compliance with hand hygiene by health care providers has been, and continues to be, within the range of:

- 30% to 60%
- 20% to 50%
- 80% to 90%
- 10% to 30%

5. Which of the following statement is **NOT** true of glove use?

- hands should be cleaned before and after gloves are used
- you should wear gloves before ANY contact with a client/patient/resident
- Indiscriminate or improper glove use has been linked to transmission of pathogens
- powdered latex gloves have been associated with latex allergies

6. Which of the following is NOT considered appropriate eye protection?

- safety glasses
- safety goggles
- visors attached to masks
- prescription glasses

7. Environmental controls include all of the following **EXCEPT**:

- cleaning and disinfecting
- having a sharps injury protection program in place
- patient accommodation and placement
- wearing a gown when entering a patient/resident/client room

8. Effective infection prevention and control education programs should address:

- all of the above
- proper hand hygiene
- staff responsibility to keep themselves, their co-workers and their clients/patients/residents safe
- disease transmission and associated risks

9. Maintaining a two metre separation from others is a component of:

- personal protective equipment
- risk assessment
- healthy workplace policies
- respiratory etiquette

10. Having adequate policies and procedures in place to ensure staff attendance at training sessions, promoting a respiratory etiquette program and ensuring that staff do not come to work when ill with an infectious agent are all part of:

- none of the above
- environmental controls
- immunization programs
- administrative controls